

BOC CFVS

立式不锈钢外壳滤芯过滤器

BOC CFVS SERIE



产品特性

TECHNICAL CHARACTERISTICS

- 不锈钢过滤器壳体采用快开的方式，结构紧凑，节省空间，更换滤芯快捷方便。
- 不锈钢过滤器标准设计压力为87psi (0.6MPa)，其他压力等级可制定。
- 不锈钢过滤器材质为SS304、SS316/SS316L。
- 耐高压，耐高温，工艺成熟，应用范围广。



- Filter housing adopts quick-opening design, compact structure for space saving and easy replacement of cartridges.
- Filter housing with standard design pressure of 87psi(0.6MPa), which can be customized for other pressure ranges.
- Filter housing material: SS304、SS316、SS316L.
- High pressure & high temperature resistance, wide range of applications.

BOC型号 Model	滤芯数量 Cartridge quantity	最大流量 Max.flow (gpm) (m3/h)	滤芯长度 Cartridge length	壳体公称直径 Housing diameter	进出口管径 Inlet/outlet size inch	组架材质 Frame material	进出口连接方式 Connection
BOC CFVS 082510-3	3	11.9 2.7	10"	8"	1"-1 1/2"	SS304/SS316/316L	Flange
BOC CFVS 082510-5	5	19.8 4.5	10"	8"	1"-1 1/2"	SS304/SS316/316L	Flange
BOC CFVS 082520-3	3	23.4 5.4	20"	8"	1"-1 1/2"	SS304/SS316/316L	Flange
BOC CFVS 082520-5	5	39.6 9.0	20"	8"	1"-1 1/2"	SS304/SS316/316L	Flange



BOC 立式不锈钢外壳滤芯过滤器

BOC CFVS SERIE



BOC型号 Model	滤芯数量 Cartridge quantity	最大流量 Max.flow (gpm) (m3/h)	滤芯长度 Cartridge length	壳体公称直径 Housing diameter	进出口管径 Inlet/outlet size inch	组架材质 Frame material	进出口连接方式 Connection
BOC CFVS 102520-7	7	55.4 12.6	20"	10"	1 1/2"-2"	SS304/SS316/316L	Flange
BOC CFVS 122520-9	9	71.3 16.2	20"	12"	1 1/2"-2"	SS304/SS316/316L	Flange
BOC CFVS 142520-12	12	95.0 21.6	20"	14"	1 1/2"-2"	SS304/SS316/316L	Flange
BOC CFVS 082530-3	3	33.0 7.5	30"	8"	1"-1 1/2"	SS304/SS316/316L	Flange
BOC CFVS 082530-5	5	55.0 12.5	30"	8"	1"-1 1/2"	SS304/SS316/316L	Flange
BOC CFVS 092530-7	7	77.0 17.5	30"	9"	1 1/2"-2"	SS304/SS316/316L	Flange
BOC CFVS 122530-9	9	99.0 22.5	30"	12"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 122530-10	10	110.0 25.0	30"	12"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 122530-11	11	121.0 27.5	30"	12"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 142530-15	15	165.0 37.5	30"	14"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 142530-16	16	176.0 40.0	30"	14"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 162530-20	20	220.0 50.0	30"	16"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 162530-22	22	242.0 55.0	30"	16"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 182530-27	27	242.0 55.0	30"	18"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 202530-34	34	374.0 85.0	30"	20"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 202530-36	36	396.0 90.0	30"	20"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 262530-52	52	572.0 130.0	30"	26"	3"-5"	SS304/SS316/316L	Flange
BOC CFVS 082540-3	3	46.2 10.5	40"	8"	1"-2"	SS304/SS316/316L	Flange
BOC CFVS 082540-5	5	77.0 17.5	40"	8"	1"-2"	SS304/SS316/316L	Flange
BOC CFVS 092540-7	7	107.8 24.5	40"	9"	1 1/2"-2"	SS304/SS316/316L	Flange
BOC CFVS 122540-10	10	154.0 35.0	40"	12"	2"-3"	SS304/SS316/316L	Flange
BOC CFVS 122540-11	11	169.4 38.5	40"	12"	2"-3"	SS304/SS316/316L	Flange



BOC 立式不锈钢外壳滤芯过滤器

BOC CFVS SERIE



BOC型号 Model	滤芯数量 Cartridge quantity	最大流量 Max.flow (gpm) (m3/h)	滤芯长度 Cartridge length	壳体公称直径 Housing diameter	进出口管径 Inlet/outlet size inch	组架材质 Frame material	进出口连接方式 Connection
BOC CFVS 142540-15	15	231.0 52.5	40"	14"	2"-3"	SS304/SS316/316L	Flange
BOC CFVS 142540-16	16	246.4 56.0	40"	14"	2"-3"	SS304/SS316/316L	Flange
BOC CFVS 162540-20	20	308.0 70.0	40"	16"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 162540-22	22	338.8 77.0	40"	16"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 182540-27	27	415.8 94.5	40"	18"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 202540-30	30	462.0 105.0	40"	20"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 202540-34	34	523.6 119.0	40"	20"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 222540-36	36	554.4 126.0	40"	22"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 242540-40	40	616.0 140.0	40"	24"	2"-4"	SS304/SS316/316L	Flange
BOC CFVS 262540-10	10	770.0 175.0	40"	26"	2"-5"	SS304/SS316/316L	Flange
BOC CFVS 262540-11	11	800.8 182.0	40"	26"	2"-5"	SS304/SS316/316L	Flange
BOC CFVS 282540-15	15	924.0 210.0	40"	28"	3"-5"	SS304/SS316/316L	Flange
BOC CFVS 302540-16	16	1155.0 262.5	40"	30"	3"-5"	SS304/SS316/316L	Flange
BOC CFVS 322540-20	20	1309.0 297.5	40"	32"	3"-5"	SS304/SS316/316L	Flange
BOC CFVS 362540-22	22	1540.0 350.0	40"	36"	4"-6"	SS304/SS316/316L	Flange
BOC CFVS 402540-27	27	1848.0 420.0	40"	40"	4"-6"	SS304/SS316/316L	Flange
BOC CFVS 442540-34	34	2156.0 490.0	40"	44"	6"-8"	SS304/SS316/316L	Flange
BOC CFVS 482540-52	52	2464.0 560.0	40"	48"	6"-8"	SS304/SS316/316L	Flange

